



| Line ID | Mfgr | Prod. Name | Description | Comments | On Hand |
|---------|------|------------|-------------|----------|---------|
|---------|------|------------|-------------|----------|---------|

■ Product Comment: Rogers

■ Material Type: NA

| | | | | | |
|------|--------|--------|----------------------|-----------------|----|
| 5398 | Rogers | RO3010 | NA H/H .0035 12 x 18 | | 50 |
| 6777 | Rogers | RO4350 | NA 1/1 .0040 18 x 24 | UM3 Some dents | 5 |
| 7195 | Rogers | RO4350 | NA 1/1 .0040 12 x 12 | | 26 |
| 5600 | Rogers | RO4350 | NA 1/1 .0040 18 x 24 | | 40 |
| 6741 | Rogers | RO4350 | NA 2/H .0040 18 x 24 | | 10 |
| 5599 | Rogers | RO4350 | NA 2/H .0040 18 x 24 | | 2 |
| 6569 | Rogers | RO4350 | NA H/H .0040 12 x 18 | Fps/Minor Dents | 2 |
| 4673 | Rogers | RO4350 | NA H/H .0040 9 x 12 | | 2 |
| 6949 | Rogers | RO4350 | NA H/H .0040 18 x 24 | | 1 |
| 5580 | Rogers | RO4350 | NA H/H .0040 18 x 24 | | 10 |
| 5593 | Rogers | RO4350 | NA H/H .0040 18 x 24 | | 1 |
| 6616 | Rogers | RO4350 | NA H/H .0040 18 x 24 | | 2 |
| 6532 | Rogers | RO4350 | NA H/H .0040 18 x 24 | | 1 |
| 6143 | Rogers | RT5870 | NA 1/1 .0050 18 x 24 | Handling Dents | 3 |
| 4816 | Rogers | RO3003 | NA 1/1 .0050 12 x 18 | Fingerprint, Ox | 2 |
| 4078 | Rogers | RO3003 | NA 1/H .0050 12 x 18 | | 1 |
| 1568 | Rogers | RO3006 | NA H/H .0050 12 x 18 | Orig. Pkg. | 60 |
| 5588 | Rogers | RT6202 | NA H/H .0050 18 x 24 | Rolled Copper | 10 |
| 4972 | Rogers | RT5870 | NA H/H .0050 12 x 18 | Bent Corner | 4 |
| 7156 | Rogers | RO4350 | NA 1/1 .0066 18 x 24 | | 2 |
| 5598 | Rogers | RO4350 | NA 1/1 .0066 18 x 24 | | 38 |
| 6538 | Rogers | RO4350 | NA 1/1 .0066 12 x 18 | | 4 |
| 4500 | Rogers | RO4350 | NA 1/H .0066 12 x 18 | Slight Dents | 3 |
| 5577 | Rogers | RO4350 | NA 1/H .0066 18 x 24 | | 53 |
| 5575 | Rogers | RO4350 | NA H/H .0066 21 x 27 | | 3 |
| 5585 | Rogers | RO4350 | NA H/H .0066 12 x 18 | | 1 |
| 5573 | Rogers | RO4350 | NA H/H .0066 24 x 27 | | 42 |
| 6534 | Rogers | RO4350 | NA H/H .0066 12 x 18 | Nipped Corner | 6 |
| 7209 | Rogers | RO4350 | NA H/H .0066 18 x 24 | | 1 |
| 6621 | Rogers | RO4350 | NA H/H .0066 18 x 24 | | 6 |
| 5602 | Rogers | RO4350 | NA H/H .0066 21 x 27 | | 48 |
| 6526 | Rogers | RO4350 | NA H/H .0066 18 x 24 | | 4 |
| 4075 | Rogers | RO4350 | NA H/H .0066 18 x 24 | | 1 |
| 7197 | Rogers | RO4003 | NA 1/1 .0080 18 x 24 | | 1 |
| 6540 | Rogers | RO4003 | NA 1/1 .0080 12 x 18 | Lite Oxidation | 2 |
| 6348 | Rogers | RO4003 | NA 1/H .0080 18 x 24 | | 1 |
| 6258 | Rogers | RO4003 | NA 2/1 .0080 9 x 12 | | 1 |

| Line ID | Mfgr | Prod. Name | | Description | | | Comments | On Hand |
|---------|--------|------------|----|-------------|-------|---------|-----------------------|---------|
| 7043 | Rogers | RT5880 | NA | 2/2 | .0080 | 12 x 18 | Rolled | 2 |
| 7422 | Rogers | RO4003 | NA | H/H | .0080 | 12 x 18 | | 1 |
| 6321 | Rogers | RO4003 | NA | H/H | .0080 | 12 x 18 | RTF | 4 |
| 7211 | Rogers | RO4003 | NA | H/H | .0080 | 18 x 24 | No lot # | 0 |
| 6537 | Rogers | RT6202 | NA | 1/1 | .0100 | 12 x 18 | | 1 |
| 6530 | Rogers | RT6202 | NA | 1/1 | .0100 | 18 x 24 | | 1 |
| 7021 | Rogers | RT6010 | NA | 1/1 | .0100 | 10 x 10 | Some Dents | 1 |
| 6350 | Rogers | RO3010 | NA | 1/1 | .0100 | 18 x 24 | | 1 |
| 6320 | Rogers | RO4350 | NA | 1/1 | .0100 | 12 x 18 | | 2 |
| 4103 | Rogers | RT6002 | NA | 1/1 | .0100 | 9 x 12 | | 1 |
| 7346 | Rogers | RO4350 | NA | 1/1 | .0100 | 18 x 24 | | 100 |
| 3855 | Rogers | RT6002 | NA | 1/1 | .0100 | 12 x 18 | 5 Rolled, OX | 4 |
| 7200 | Rogers | RO4350 | NA | 1/1 | .0100 | 18 x 24 | | 2 |
| 5178 | Rogers | RO4350 | NA | 1/1 | .0100 | 9 x 12 | | 3 |
| 4104 | Rogers | RT6002 | NA | 1/1 | .0100 | 8 x 9 | Rolled Cu,Bent Corner | 1 |
| 7171 | Rogers | RO4350 | NA | 1/1 | .0100 | 24 x 18 | | 2 |
| 4111 | Rogers | RO4350 | NA | 1/1 | .0100 | 18 x 24 | | 7 |
| 7070 | Rogers | RO4350 | NA | 1/1 | .0100 | 18 x 24 | | 6 |
| 4136 | Rogers | RT6002 | NA | 1/1 | .0100 | 6 x 6 | Rolled Cu | 2 |
| 7039 | Rogers | RT6010 | NA | 1/1 | .0100 | 12 x 18 | | 4 |
| 4661 | Rogers | RO4350 | NA | 1/1 | .0100 | 18 x 24 | | 1 |
| 3843 | Rogers | RT6006 | NA | 1/H | .0100 | 20 x 20 | | 9 |
| 3819 | Rogers | RT6002 | NA | 2/2 | .0100 | 12 x 18 | Sealed Packs | 10 |
| 2290 | Rogers | RO4350 | NA | 2/2 | .0100 | 18 x 24 | | 20 |
| 5397 | Rogers | RO4350 | NA | 2/2 | .0100 | 12 x 18 | | 23 |
| 6316 | Rogers | RT5880 | NA | H/O | .0100 | 12 x 18 | HR/.010/.062AL | 4 |
| 7062 | Rogers | RO4350 | NA | H/H | .0100 | 12 x 18 | | 1 |
| 3840 | Rogers | RO3203 | NA | H/H | .0100 | 18 x 24 | | 34 |
| 7255 | Rogers | RO3003 | NA | H/H | .0100 | 12 x 18 | | 0 |
| 3829 | Rogers | RT6002 | NA | H/H | .0100 | 12 x 18 | Ohmega Ply 1 side | 45 |
| 5604 | Rogers | RT6002 | NA | H/H | .0100 | 24 x 30 | Rolled Copper | 6 |
| 5595 | Rogers | RT6202 | NA | H/H | .0100 | 24 x 18 | Rolled Copper | 30 |
| 7410 | Rogers | RO3003 | NA | H/H | .0100 | 12 x 18 | '94 Material | 13 |
| 3817 | Rogers | RT6002 | NA | H/H | .0100 | 12 x 18 | Rolled Cu | 2 |
| 6507 | Rogers | RT6002 | NA | H/H | .0100 | 12 x 18 | | 7 |
| 5587 | Rogers | RO3010 | NA | H/H | .0100 | 18 x 24 | | 1 |
| 4838 | Rogers | RT6002 | NA | H/H | .0100 | 9 x 12 | | 1 |
| 4666 | Rogers | RO3010 | NA | H/H | .0100 | 9 x 12 | | 1 |
| 5579 | Rogers | RT6002 | NA | H/H | .0100 | 16 x 21 | Rolled Copper | 22 |
| 6946 | Rogers | RO3203 | NA | H/H | .0100 | 18 x 24 | | 11 |
| 5581 | Rogers | RT6002 | NA | H/H | .0100 | 18 x 24 | Rolled Copper | 178 |
| 4848 | Rogers | RT6002 | NA | Q/Q | .0100 | 12 x 18 | W/carrier | 1 |
| 7196 | Rogers | RO4003 | NA | 1/1 | .0120 | 12 x 12 | | 32 |

| Line ID | Mfgr | Prod. Name | | Description | | | Comments | On Hand |
|---------|--------|------------|----|-------------|-------|-----------|----------------------|---------|
| 3867 | Rogers | RT5880 | NA | H/H | .0120 | 9 x 12 | Mild Fingerprints | 1 |
| 6390 | Rogers | RO4350 | NA | 1/1 | .0133 | 18 x 24 | .0133 | 19 |
| 6697 | Rogers | RO4350 | NA | 1/1 | .0133 | 18 x 24 | | 34 |
| 7031 | Rogers | RT6002 | NA | 1/1 | .0150 | 9 x 12 | | 1 |
| 7429 | Rogers | RO3010 | NA | 1/1 | .0150 | 12 x 18 | | 1 |
| 3631 | Rogers | TMM-10 | NA | 1/1 | .0150 | 13 x 13 | | 1 |
| 3818 | Rogers | TMM-4 | NA | 1/H | .0150 | 12 x 18 | Sealed Packs | 6 |
| 5592 | Rogers | RT6002 | NA | H/H | .0150 | 18 x 24 | Rolled Copper | 56 |
| 3834 | Rogers | TMM-4 | NA | H/H | .0150 | 12 x 18 | | 7 |
| 3841 | Rogers | TMM-3 | NA | H/H | .0150 | 18 x 24 | | 16 |
| 6152 | Rogers | TMM-10i | NA | H/H | .0150 | 12 x 18 | Slight Broken Corner | 5 |
| 3839 | Rogers | RO3003 | NA | H/H | .0150 | 12 x 18 | | 22 |
| 4121 | Rogers | RT6002 | NA | H/H | .0150 | 12 x 18 | Spotstick,oxid | 10 |
| 3813 | Rogers | RO4003 | NA | 1/1 | .0160 | 9 x 12 | Some Tarnish | 2 |
| 3871 | Rogers | RO4003 | NA | H/H | .0160 | 12 x 18 | Broken Edge | 3 |
| 6391 | Rogers | RO4350 | NA | 1/1 | .0166 | 18 x 24 | | 50 |
| 6326 | Rogers | RO4350 | NA | 1/1 | .0166 | 12 x 18 | | 2 |
| 6527 | Rogers | RO4350 | NA | H/H | .0166 | 18 x 24 | | 2 |
| 6382 | Rogers | RO4350 | NA | H/H | .0166 | 18 x 27 | | 68 |
| 6809 | Rogers | RT5880 | NA | 1/0 | .0200 | 12 x 18 | 1R/.020/.187Cu | 19 |
| 7411 | Rogers | RO3003 | NA | 1/1 | .0200 | 18 x 12 | '94 Material | 1 |
| 5608 | Rogers | RT6010 | NA | 1/1 | .0200 | 20 x 20.4 | 10.2, LM | 21 |
| 4825 | Rogers | RO3006 | NA | 1/1 | .0200 | 12 x 18 | Surf Ox | 28 |
| 7418 | Rogers | RT5880 | NA | 1/1 | .0200 | 12 x 18 | | 2 |
| 7016 | Rogers | RO4003 | NA | 1/1 | .0200 | 18 x 24 | | 4 |
| 7049 | Rogers | RO4350 | NA | 1/1 | .0200 | 12 x 18 | Bent Edge | 2 |
| 5596 | Rogers | RO3006 | NA | 1/1 | .0200 | 12 x 18 | | 7 |
| 4119 | Rogers | RO3006 | NA | 1/1 | .0200 | 12 x 18 | Very Oxid,FPs | 20 |
| 7198 | Rogers | RO4003 | NA | 1/1 | .0200 | 18 x 24 | | 3 |
| 7207 | Rogers | RO4350 | NA | 1/1 | .0200 | 18 x 24 | Fingerprints | 1 |
| 7419 | Rogers | RT5880 | NA | 1/1 | .0200 | 12 x 18 | Rolled Copper | 1 |
| 5018 | Rogers | RT5870 | NA | 1/1 | .0200 | 12 x 18 | | 1 |
| 6393 | Rogers | RO4350 | NA | 1/1 | .0200 | 18 x 24 | Oxidation | 3 |
| 5012 | Rogers | RT5880 | NA | 1/1 | .0200 | 6 x 6 | Rolled Copper | 1 |
| 7072 | Rogers | RO4350 | NA | 1/1 | .0200 | 12 x 18 | | 2 |
| 3822 | Rogers | RT6002 | NA | 1/H | .0200 | 12 x 18 | Spotstick | 9 |
| 6698 | Rogers | RO4003 | NA | 1/H | .0200 | 18 x 24 | | 25 |
| 3864 | Rogers | RT6002 | NA | 1/H | .0200 | 12 x 18 | Tarnish,bent corner | 1 |
| 6389 | Rogers | RO4350 | NA | 2/1 | .0200 | 18 x 24 | | 20 |
| 6387 | Rogers | RO4350 | NA | 2/2 | .0200 | 18 x 24 | | 35 |
| 6701 | Rogers | RO4003 | NA | 2/H | .0200 | 18 x 24 | | 11 |
| 4642 | Rogers | RT6002 | NA | H/H | .0200 | 9 x 12 | | 4 |
| 5583 | Rogers | RO4003 | NA | H/H | .0200 | 18 x 24 | Ohmegaply 50 Ohm | 2 |

| Line ID | Mfgr | Prod. Name | | Description | | | Comments | On Hand |
|---------|--------|------------|----|-------------|-------|---------|-------------------|---------|
| 5586 | Rogers | RO4003 | NA | H/H | .0200 | 18 x 24 | Ohmegaply 25 Ohm | 12 |
| 5589 | Rogers | RT6202 | NA | H/H | .0200 | 18 x 24 | Rolled Copper | 10 |
| 4143 | Rogers | RO3006 | NA | H/H | .0200 | 12 x 18 | Some oxid | 10 |
| 5594 | Rogers | RT6002 | NA | H/H | .0200 | 16 x 21 | Rolled Copper | 42 |
| 7199 | Rogers | RO4350 | NA | H/H | .0200 | 18 x 24 | | 0 |
| 5591 | Rogers | RT6002 | NA | H/H | .0200 | 18 x 24 | Rolled Copper | 23 |
| 4650 | Rogers | TMM-6 | NA | H/H | .0200 | 6 x 6 | | 3 |
| 1579 | Rogers | RO3006 | NA | H/H | .0200 | 12 x 18 | Orig. Pkg. | 14 |
| 1569 | Rogers | RO3006 | NA | H/H | .0200 | 12 x 18 | Orig. Pkg. | 19 |
| 6533 | Rogers | RO4350 | NA | H/H | .0200 | 18 x 24 | | 1 |
| 4117 | Rogers | RO3006 | NA | H/H | .0200 | 12 x 18 | | 5 |
| 5605 | Rogers | RT6002 | NA | H/H | .0200 | 24 x 30 | Rolled Copper | 6 |
| 3866 | Rogers | RO3006 | NA | H/H | .0200 | 12 x 18 | Bent Corner | 10 |
| 5590 | Rogers | RT6002 | NA | H/H | .0200 | 18 x 24 | ED | 1 |
| 7045 | Rogers | RT5880 | NA | 2/2 | .0220 | 12 x 18 | Rolled | 3 |
| 4144 | Rogers | TMM-10 | NA | 1/1 | .0250 | 12 x 18 | Sealed Packs | 6 |
| 5828 | Rogers | RT6006 | NA | 1/1 | .0250 | 10 x 10 | Rolled BC | 1 |
| 4135 | Rogers | TMM-10 | NA | 1/1 | .0250 | 6 x 6 | | 3 |
| 2293 | Rogers | RO3210 | NA | 1/1 | .0250 | 18 x 24 | Oxidation | 4 |
| 3852 | Rogers | TMM-4 | NA | 1/1 | .0250 | 12 x 18 | | 4 |
| 4123 | Rogers | RT6002 | NA | 1/1 | .0250 | 12 x 18 | Spotstick,oxid | 10 |
| 7390 | Rogers | RO3010 | NA | 2/2 | .0250 | 18 x 24 | | 20 |
| 4137 | Rogers | RT6006 | NA | H/H | .0250 | 5 x 5 | Oxid | 1 |
| 5214 | Rogers | RO3210 | NA | H/H | .0250 | 12 x 18 | | 1 |
| 5299 | Rogers | TMM-6 | NA | H/H | .0250 | 12 x 18 | ED Copper | 0 |
| 5302 | Rogers | RO3010 | NA | H/H | .0250 | 9 x 12 | | 1 |
| 4105 | Rogers | RT6002 | NA | H/H | .0250 | 12 x 18 | Spotstick,Tarnish | 5 |
| 4081 | Rogers | TMM-4 | NA | H/H | .0250 | 12 x 18 | Sealed Pkg | 3 |
| 6323 | Rogers | RO4003 | NA | H/H | .0280 | 12 x 18 | Fingerprints | 1 |
| 6739 | Rogers | RO4003 | NA | H/H | .0280 | 18 x 24 | | 12 |
| 7047 | Rogers | RT6002 | NA | 0/0 | .0300 | 12 x 18 | | 2 |
| 3825 | Rogers | RT6002 | NA | 1/0 | .0300 | 12 x 18 | Spotstick | 23 |
| 4969 | Rogers | RT6002 | NA | 1/1 | .0300 | 12 x 18 | Rolled, Oxid | 1 |
| 3816 | Rogers | RT6002 | NA | 1/1 | .0300 | 12 x 18 | | 9 |
| 4665 | Rogers | 2000 | NA | 1/1 | .0300 | 9 x 12 | Lite oxid,2.45 DK | 1 |
| 7056 | Rogers | 2000 | NA | 1/1 | .0300 | 18 x 24 | UL2.55 | 3 |
| 5176 | Rogers | RO3203 | NA | 1/1 | .0300 | 9 x 12 | | 1 |
| 4643 | Rogers | RO3003 | NA | 1/1 | .0300 | 9 x 12 | | 2 |
| 5247 | Rogers | RT6002 | NA | 1/1 | .0300 | 18 x 24 | ED Copper | 15 |
| 6709 | Rogers | 2000 | NA | 1/1 | .0300 | 12 x 18 | Ultralam 2.50 | 1 |
| 7042 | Rogers | RT6002 | NA | 1/1 | .0300 | 12 x 18 | +9x12 | 1 |
| 3833 | Rogers | 2000 | NA | 1/H | .0300 | 12 x 18 | Ultralam | 10 |
| 1469 | Rogers | RO4350 | NA | 2/2 | .0300 | 18 x 24 | Orig. Pkg. | 10 |

| Line ID | Mfgr | Prod. Name | | Description | | | Comments | On Hand |
|---------|--------|------------|----|-------------|-------|---------|---------------------|---------|
| 2291 | Rogers | RO4350 | NA | 2/H | .0300 | 18 x 24 | | 25 |
| 6259 | Rogers | RO4350 | NA | 2/H | .0300 | 18 x 24 | | 2 |
| 4102 | Rogers | RT6002 | NA | H/O | .0300 | 12 x 18 | Some oxid | 2 |
| 4077 | Rogers | RT6002 | NA | H/O | .0300 | 12 x 18 | Spotstick,Oxidation | 23 |
| 4112 | Rogers | RT6002 | NA | H/H | .0300 | 9 x 12 | Roll Cu,Oxidation | 3 |
| 7389 | Rogers | RT6002 | NA | H/H | .0300 | 12 x 18 | Some oxid | 10 |
| 5606 | Rogers | RT6002 | NA | H/H | .0300 | 24 x 36 | Rolled Copper | 22 |
| 5391 | Rogers | RO3003 | NA | H/H | .0300 | 12 x 18 | Oxidation | 2 |
| 1592 | Rogers | RO3003 | NA | H/H | .0300 | 18 x 24 | Surface Stain | 1 |
| 3820 | Rogers | RT6002 | NA | H/H | .0300 | 12 x 18 | | 1 |
| 5601 | Rogers | RT6002 | NA | H/H | .0300 | 24 x 27 | Rolled Copper | 67 |
| 3824 | Rogers | RT6002 | NA | H/H | .0300 | 12 x 18 | Etch off, Punched | 4 |
| 3835 | Rogers | TMM-4 | NA | H/H | .0300 | 12 x 18 | Sealed Pkgs | 24 |
| 1487 | Rogers | RO3003 | NA | H/H | .0300 | 9 x 12 | Orig. Pkg. | 3 |
| 5445 | Rogers | RO3003 | NA | H/H | .0300 | 18 x 24 | | 113 |
| 5823 | Rogers | RT5880 | NA | 0/0 | .0310 | 12 x 18 | | 3 |
| 4841 | Rogers | RT5870 | NA | 1/0 | .0310 | 12 x 18 | Oxidation | 1 |
| 7398 | Rogers | RT5880 | NA | 1/1 | .0310 | 18 x 24 | | 1 |
| 7428 | Rogers | RT5880 | NA | 1/1 | .0310 | 12 x 18 | | 1 |
| 5143 | Rogers | RT5870 | NA | 1/1 | .0310 | 18 x 24 | Roll Cu,.031 OA | 11 |
| 6243 | Rogers | RT5880 | NA | 2/2 | .0310 | 12 x 18 | Oxidation | 2 |
| 7046 | Rogers | RT5880 | NA | 2/2 | .0310 | 12 x 18 | Rolled | 1 |
| 6274 | Rogers | RT5870 | NA | H/H | .0310 | 18 x 24 | Rolled Copper | 2 |
| 7400 | Rogers | RT5880 | NA | H/H | .0310 | 12 x 18 | | 2 |
| 4502 | Rogers | RO4003 | NA | 1/H | .0320 | 18 x 24 | Fingerprints | 2 |
| 6695 | Rogers | RO4003 | NA | H/H | .0320 | 12 x 18 | | 0 |
| 7208 | Rogers | RO4003 | NA | H/H | .0320 | 18 x 24 | | 4 |
| 7203 | Rogers | RO4003 | NA | H/H | .0320 | 12 x 18 | Fingerprints | 1 |
| 6743 | Rogers | RO4003 | NA | H/H | .0320 | 12 x 18 | | 1 |
| 6924 | Rogers | RO4350 | NA | 1/1 | .0400 | 18 x 24 | | 6 |
| 6524 | Rogers | RO4350 | NA | 2/2 | .0400 | 18 x 24 | .045 OA | 3 |
| 3853 | Rogers | RT6002 | NA | 2/2 | .0400 | 12 x 18 | | 6 |
| 3854 | Rogers | TMM-6 | NA | H/H | .0400 | 12 x 18 | Corner Broken | 1 |
| 4718 | Rogers | RO3003 | NA | H/H | .0400 | 18 x 24 | | 2 |
| 7034 | Rogers | RO4350 | NA | 1/1 | .0440 | 12 x 18 | .0433" | 1 |
| 5825 | Rogers | RT6010 | NA | 1/1 | .0500 | 10 x 10 | 10.2, LM | 1 |
| 7029 | Rogers | RT6010 | NA | 1/1 | .0500 | 10 x 10 | Rolled 10.2 | 2 |
| 4822 | Rogers | RT5880 | NA | 1/1 | .0500 | 12 x 18 | Rolled,Oxid | 8 |
| 988 | Rogers | RT6010 | NA | 1/1 | .0500 | 11 x 11 | Rolled Cu, 10.8 Dk | 3 |
| 6240 | Rogers | RO3006 | NA | 1/1 | .0500 | 6 x 12 | + 6x6,Rolled | 1 |
| 7388 | Rogers | RO3010 | NA | 2/2 | .0500 | 12 x 18 | | 5 |
| 5180 | Rogers | RO3010 | NA | 2/2 | .0500 | 12 x 18 | | 1 |
| 4386 | Rogers | RO3010 | NA | H/H | .0500 | 14 x 18 | Oxidation | 2 |

| Line ID | Mfgr | Prod. Name | | Description | | Comments | On Hand |
|---------|--------|------------|----|-------------|---------|-------------------|---------|
| 6383 | Rogers | RO4350 | NA | 2/2 .0533 | 18 x 24 | | 7 |
| 3601 | Rogers | 2000 | NA | 1/1 .0600 | 18 x 24 | | 1 |
| 3600 | Rogers | 2000 | NA | 1/1 .0600 | 8 x 18 | | 4 |
| 5446 | Rogers | RO4003 | NA | 1/1 .0600 | 12 x 18 | | 31 |
| 3595 | Rogers | 2000 | NA | 1/1 .0600 | 48 x 18 | 2.45 | 9 |
| 5181 | Rogers | RO3203 | NA | 1/1 .0600 | 9 x 12 | | 1 |
| 7214 | Rogers | 2000 | NA | 1/1 .0600 | 12 x 18 | UL2.55 | 4 |
| 1419 | Rogers | 2000 | NA | 1/1 .0600 | 12 x 18 | Ultralam 2.45 ED | 6 |
| 6661 | Rogers | RO4003 | NA | 1/1 .0600 | 18 x 24 | | 13 |
| 4469 | Rogers | 2000 | NA | 1/1 .0600 | 12 x 18 | Ultralam 2.5 | 2 |
| 5020 | Rogers | TMM-6 | NA | 1/1 .0600 | 12 x 18 | | 1 |
| 4647 | Rogers | RO3003 | NA | 1/1 .0600 | 9 x 12 | | 3 |
| 6388 | Rogers | RO4003 | NA | 1/H .0600 | 18 x 24 | | 5 |
| 6386 | Rogers | RO4003 | NA | 1/H .0600 | 18 x 24 | | 16 |
| 4347 | Rogers | RO4350 | NA | 2/2 .0600 | 18 x 24 | Some Fingerprints | 2 |
| 6964 | Rogers | RO4350 | NA | 2/2 .0600 | 18 x 24 | | 4 |
| 3998 | Rogers | 2000 | NA | 2/2 .0600 | 18 x 24 | 2.5,oxidation | 2 |
| 6385 | Rogers | RO4350 | NA | 2/2 .0600 | 18 x 24 | | 6 |
| 6254 | Rogers | RO4003 | NA | H/H .0600 | 12 x 18 | Fingerprints | 1 |
| 7057 | Rogers | RO4003 | NA | H/H .0600 | 18 x 24 | | 8 |
| 4131 | Rogers | RO4350 | NA | H/H .0600 | 12 x 18 | Some oxidation | 3 |
| 4644 | Rogers | TMM-6 | NA | H/H .0600 | 9 x 12 | | 2 |
| 6529 | Rogers | RO4350 | NA | H/H .0600 | 18 x 24 | | 1 |
| 4649 | Rogers | TMM-6 | NA | H/H .0600 | 6 x 6 | | 3 |
| 6095 | Rogers | RO4003 | NA | H/H .0600 | 18 x 24 | | 22 |
| 5798 | Rogers | RO4003 | NA | H/H .0600 | 18 x 24 | | 1 |
| 5327 | Rogers | RO4003 | NA | H/H .0600 | 12 x 18 | | 1 |
| 7202 | Rogers | RO4350 | NA | H/H .0600 | 12 x 18 | | 2 |
| 4847 | Rogers | RT5870 | NA | 1/0 .0620 | 12 x 18 | | 2 |
| 7022 | Rogers | RT5880 | NA | 1/1 .0620 | 12 x 12 | Rolled | 1 |
| 7148 | Rogers | RT5870 | NA | 1/1 .0620 | 18 x 24 | | 1 |
| 4686 | Rogers | RT5880 | NA | 2/0 .0620 | 9 x 12 | | 2 |
| 7246 | Rogers | RT5880 | NA | H/H .0620 | 12 x 18 | | 2 |
| 5387 | Rogers | RO3003 | NA | H/H .0650 | 12 x 18 | | 36 |
| 4126 | Rogers | RT6010 | NA | H/H .0740 | 10 x 10 | Some oxid,10.2 | 1 |
| 5824 | Rogers | RT6002 | NA | 1/1 .0900 | 12 x 18 | Rolled Copper | 1 |
| 7020 | Rogers | RT6010 | NA | H/H .1000 | 6 x 6 | 10.2LM | 1 |
| 5158 | Rogers | RT6010 | NA | H/H .1000 | 10 x 10 | LM, 10.2, ED | 8 |
| 6184 | Rogers | RT6002 | NA | H/H .1200 | 19 x 25 | | 2 |
| 6186 | Rogers | TMM-3 | NA | 1/1 .1250 | 12 x 18 | | 1 |
| 4146 | Rogers | RT5870 | NA | 1/1 .1250 | 12 x 18 | Oxid,Rolled Cu | 1 |
| 7024 | Rogers | RT5880 | NA | 1/1 .1250 | 12 x 19 | | 3 |
| 5246 | Rogers | RT5870 | NA | 1/1 .1650 | 48 x 18 | ED Copper | 7 |

| Line ID | Mfgr | Prod. Name | Description | | | | Comments | On Hand |
|---------|--------|------------|-------------|-----|-------|---------|----------|---------|
| 5159 | Rogers | RT5870 | NA | 1/1 | .2000 | 48 x 18 | | 2 |
| 7245 | Rogers | TMM-6 | NA | H/H | .5000 | 18 x 24 | | 3 |